

L Number	Hits	Search Text	DB	Time stamp
1	2	6070214.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 08:26
4	9	(US-4726027-\$ or US-5136576-\$ or US-5313473-\$ or US-5828677-\$ or US-6662330-\$ or US-6425105-\$ or US-6292470-\$ or US-6181704-\$ or US-6021124-\$).did.	USPAT	2004/02/20 09:40
-	242181	(packet\$1 or frame\$1 or message\$1) near6 (id\$2 or identif\$8 or number\$1 or sequen\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:30
-	3277	((packet\$1 or frame\$1 or message\$1) near6 (id\$2 or identif\$8 or number\$1 or sequen\$5)) with ack\$10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:30
-	364577	(packet\$1 or frame\$1 or message\$1 or block\$1) near6 (id\$2 or identif\$8 or number\$1 or sequen\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:51
-	3545	((packet\$1 or frame\$1 or message\$1 or block\$1) near6 (id\$2 or identif\$8 or number\$1 or sequen\$5)) with ack\$10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:31
-	1244	(retransmi\$8 or re adj2 transmi\$8 or transmi\$8) with until with ack\$10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:32
-	901	((packet\$1 or frame\$1 or message\$1) near6 (id\$2 or identif\$8 or number\$1 or sequen\$5)) and ((retransmi\$8 or re adj2 transmi\$8 or transmi\$8) with until with ack\$10)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:33
-	748	((packet\$1 or frame\$1 or message\$1) near6 (id\$2 or identif\$8 or number\$1 or sequen\$5)) and ((retransmi\$8 or re adj2 transmi\$8 or transmi\$8) with until with ack\$10)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:53
-	420	((packet\$1 or frame\$1 or message\$1) near6 (id\$2 or identif\$8 or number\$1 or sequen\$5)) and ((retransmi\$8 or re adj2 transmi\$8 or transmi\$8) with until with ack\$10)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (370.clas. or 709.clas.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:34

-	347	(((packet\$1 or frame\$1 or message\$1) near6 (id\$2 or identif\$8 or number\$1 or sequen\$5)) and ((retransmi\$8 or re adj2 transmi\$8 or transmi\$8) with until with ack\$10)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (370.clas. or 709.clas.)) and 370.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:36
-	3408	370/229-240.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:36
-	40	(((packet\$1 or frame\$1 or message\$1) near6 (id\$2 or identif\$8 or number\$1 or sequen\$5)) and ((retransmi\$8 or re adj2 transmi\$8 or transmi\$8) with until with ack\$10)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (370.clas. or 709.clas.)) and 370/229-240.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:53
-	256	(without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary) near8 nack\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:53
-	284	(without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary) near8 (nack\$2 or negative adj2 ack\$10)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:16
-	12	((without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary) near8 (nack\$2 or negative adj2 ack\$10)) and 370/229-240.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:53
-	5	(((without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary) near8 (nack\$2 or negative adj2 ack\$10)) and 370/229-240.ccls.) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:57
-	110	((without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary) near8 (nack\$2 or negative adj2 ack\$10)) and 370.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:57
-	61	(((without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary) near8 (nack\$2 or negative adj2 ack\$10)) and 370.clas.) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:16

-	56	(((without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary) near8 (nack\$2 or negative adj2 ack\$10)) and 370.clas.) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) not (((without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary) near8 (nack\$2 or negative adj2 ack\$10)) and 370/229-240.ccls.) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:06
-	272	arq\$2 and window\$1 and ack\$10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:06
-	485	(repeat\$7 or repetitiv\$5) with until with ack\$10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:06
-	12	(arq\$2 and window\$1 and ack\$10) and ((repeat\$7 or repetitiv\$5) with until with ack\$10)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:06
-	8	((arq\$2 and window\$1 and ack\$10) and ((repeat\$7 or repetitiv\$5) with until with ack\$10)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:33
-	2610	(without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary) near8 (nak\$2 or nack\$2 or negative adj2 ack\$10)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:26
-	233	(((without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary) near8 (nak\$2 or nack\$2 or negative adj2 ack\$10)) and 370.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:17
-	19378	slid\$5 near4 window\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:17
-	9	(((without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary) near8 (nak\$2 or nack\$2 or negative adj2 ack\$10)) and 370.clas.) and (slid\$5 near4 window\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:17

-	6876	(without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary or use\$1 or using or usage\$1) near8 (nak\$2 or nack\$2 or negative adj2 ack\$10)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:33
-	6901	(without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary or use\$1 or using or usage\$1) near8 (nak\$2 or nack\$2 or negative\$2 adj2 ack\$10)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:33
-	53	((without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary or use\$1 or using or usage\$1) near8 (nak\$2 or nack\$2 or negative\$2 adj2 ack\$10)) and (slid\$5 near4 window\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:33
-	41	((((without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary or use\$1 or using or usage\$1) near8 (nak\$2 or nack\$2 or negative\$2 adj2 ack\$10)) and (slid\$5 near4 window\$1)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:12
-	2	5740373.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:11
-	4	5740373.URPN.	USPAT	2004/02/18 09:07
-	55	continuous\$2 near4 arq\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:12
-	94	preemptiv\$5 near6 (transmi\$8 or retransmi\$8 or re adj2 transmi\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:12
-	43	(continuous\$2 near4 arq\$2) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:13
-	80	(preemptiv\$5 near6 (transmi\$8 or retransmi\$8 or re adj2 transmi\$8)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:44
-	2	((preemptiv\$5 near6 (transmi\$8 or retransmi\$8 or re adj2 transmi\$8)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (arq\$2 or gbn adj2 arq\$2 or sr adj2 arq\$2 or slid\$5 near4 window\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:44

-	86343	(link or line or lines or bus or busses or buses or path or paths) near6 (error\$1 or fault\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:40
-	5884	((link or line or lines or bus or busses or buses or path or paths) near6 (error\$1 or fault\$1)) same sync\$13	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:41
-	106553	sync\$13 near6 (pattern\$1 or bit or bits or byte\$1 or packet\$1 or message\$1 or frame\$1 or block\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:57
-	1506	((link or line or lines or bus or busses or buses or path or paths) near6 (error\$1 or fault\$1)) same (sync\$13 near6 (pattern\$1 or bit or bits or byte\$1 or packet\$1 or message\$1 or frame\$1 or block\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:43
-	872	((((link or line or lines or bus or busses or buses or path or paths) near6 (error\$1 or fault\$1)) same (sync\$13 near6 (pattern\$1 or bit or bits or byte\$1 or packet\$1 or message\$1 or frame\$1 or block\$1))) and (7??clas. or 370.clas.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:43
-	328	((((link or line or lines or bus or busses or buses or path or paths) near6 (error\$1 or fault\$1)) same (sync\$13 near6 (pattern\$1 or bit or bits or byte\$1 or packet\$1 or message\$1 or frame\$1 or block\$1))) and 714.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:43
-	27	((((link or line or lines or bus or busses or buses or path or paths) near6 (error\$1 or fault\$1)) same (sync\$13 near6 (pattern\$1 or bit or bits or byte\$1 or packet\$1 or message\$1 or frame\$1 or block\$1))) and (arq\$2 or gbn adj2 arq\$2 or sr adj2 arq\$2 or slid\$5 near4 window\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:44
-	23	(((((link or line or lines or bus or busses or buses or path or paths) near6 (error\$1 or fault\$1)) same (sync\$13 near6 (pattern\$1 or bit or bits or byte\$1 or packet\$1 or message\$1 or frame\$1 or block\$1))) and (arq\$2 or gbn adj2 arq\$2 or sr adj2 arq\$2 or slid\$5 near4 window\$1)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 08:26
-	424	(((((link or line or lines or bus or busses or buses or path or paths) near6 (error\$1 or fault\$1)) same (sync\$13 near6 (pattern\$1 or bit or bits or byte\$1 or packet\$1 or message\$1 or frame\$1 or block\$1))) and 370.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:32
-	821	ack\$10 near6 (drop\$5 or los\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:33

-	118	(ack\$10 near6 (drop\$5 or los\$5)) with (retransmi\$8 or re adj2 transmi\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:47
-	89	((ack\$10 near6 (drop\$5 or los\$5)) with (retransmi\$8 or re adj2 transmi\$8)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:43
-	2	((ack\$10 near6 (drop\$5 or los\$5)) with (retransmi\$8 or re adj2 transmi\$8)) with ((link or line or lines or bus or busses or buses or path or paths) near6 (error\$1 or fault\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:41
-	519	((link or line or lines or bus or busses or buses or path or paths) near6 (error\$1 or fault\$1)) with ack\$10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:42
-	225	((((link or line or lines or bus or busses or buses or path or paths) near6 (error\$1 or fault\$1)) with ack\$10) with (miss\$3 or los\$5 or drop\$5 or receiv\$5 or reception\$1 or consecutiv\$5 or sequence\$1 or sequent\$5 or order\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:47
-	89	((((ack\$10 near6 (drop\$5 or los\$5)) with (retransmi\$8 or re adj2 transmi\$8)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:48
-	72	(((((ack\$10 near6 (drop\$5 or los\$5)) with (retransmi\$8 or re adj2 transmi\$8)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (709.clas. or 714.clas. or 370.clas.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:48
-	4512	ack\$10 near8 (consecutiv\$5 or sequence\$1 or sequent\$5 or order\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:47
-	194	(ack\$10 near8 (consecutiv\$5 or sequence\$1 or sequent\$5 or order\$3)) with (retransmi\$8 or re adj2 transmi\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:49
-	154	((ack\$10 near8 (consecutiv\$5 or sequence\$1 or sequent\$5 or order\$3)) with (retransmi\$8 or re adj2 transmi\$8)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:49

-	203	(ack\$10 near8 (consecutiv\$5 or sequence\$1 or sequent\$5 or order\$3)) with (error\$1 or fault\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:49
-	181	((ack\$10 near8 (consecutiv\$5 or sequence\$1 or sequent\$5 or order\$3)) with (error\$1 or fault\$1)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:49
-	126	((ack\$10 near8 (consecutiv\$5 or sequence\$1 or sequent\$5 or order\$3)) with (retransmi\$8 or re adj2 transmi\$8)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (709.clas. or 714.clas. or 370.clas.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 08:24
-	99	((ack\$10 near8 (consecutiv\$5 or sequence\$1 or sequent\$5 or order\$3)) with (error\$1 or fault\$1)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (709.clas. or 714.clas. or 370.clas.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 08:24
-	99	((ack\$10 near8 (consecutiv\$5 or sequence\$1 or sequent\$5 or order\$3)) with (error\$1 or fault\$1)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (709.clas. or 714.clas. or 370.clas.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 11:48
-	126	((ack\$10 near8 (consecutiv\$5 or sequence\$1 or sequent\$5 or order\$3)) with (retransmi\$8 or re adj2 transmi\$8)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (709.clas. or 714.clas. or 370.clas.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 08:25
-	79	((ack\$10 near8 (consecutiv\$5 or sequence\$1 or sequent\$5 or order\$3)) with (error\$1 or fault\$1)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (709.clas. or 714.clas. or 370.clas.) not (((ack\$10 near8 (consecutiv\$5 or sequence\$1 or sequent\$5 or order\$3)) with (retransmi\$8 or re adj2 transmi\$8)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (709.clas. or 714.clas. or 370.clas.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 11:34
-	63	go adj2 back\$3 adj2 arq\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 11:35

-	14	gbn\$2 adj2 arq\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 11:35
-	72	(go adj2 back\$3 adj2 arq\$2) or (gbn\$2 adj2 arq\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 11:36
-	57	((go adj2 back\$3 adj2 arq\$2) or (gbn\$2 adj2 arq\$2)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:00
-	102	(nack\$1 or nak\$1 or negative\$2 adj2 ack\$10) near8 format\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 12:45
-	1	((go adj2 back\$3 adj2 arq\$2) or (gbn\$2 adj2 arq\$2)) and ((nack\$1 or nak\$1 or negative\$2 adj2 ack\$10) near8 format\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 12:44
-	865	(nack\$1 or nak\$1 or negative\$2 adj2 ack\$10) near8 (id\$2 or identif\$10 or number\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 12:46
-	652	((nack\$1 or nak\$1 or negative\$2 adj2 ack\$10) near8 (id\$2 or identif\$10 or number\$1)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:00
-	397	((nack\$1 or nak\$1 or negative\$2 adj2 ack\$10) near8 (id\$2 or identif\$10 or number\$1)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (370.clas. or 455.clas. or 709.clas. or 714.clas.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:01
-	123	((nack\$1 or nak\$1 or negative\$2 adj2 ack\$10) near8 (id\$2 or identif\$10 or number\$1)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (370.clas. or 455.clas. or 709.clas. or 714.clas.)) and window\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:01